

---

# Towards Enhancing Data Exploration with Multiple Mobile Devices

**Sven Mayer**

Institute for Visualization and Interactive Systems  
University of Stuttgart  
Stuttgart, Germany

**Lars Lischke**

Institute for Visualization and Interactive Systems  
University of Stuttgart  
Stuttgart, Germany

**Przemysław Kucharski**

Institute of Applied Computer Science  
Lodz University of Technology  
Łódź, Poland  
piotrp@chalmers.se

**Paweł Woźniak**

t2i Interaction Lab  
Chalmers University of Technology  
Gothenburg, Sweden

**Abstract**

In a world of an increasing number of mobile devices in everyday life, people are dealing with large amounts of data every minute. It is an emerging need to create interfaces for multiple devices to support the process of data exploration and understanding. New sensors, enabling mobile devices to be spatially aware, inspire the design of context-aware adaptive interfaces. We indicate a possible direction of further research, where we treat the spatiotemporal relationships between different subsets of a given data set as part of the information communicated by the system. That give us the opportunity to create more effective visualizations to enhance perception. This approach builds on a natural human tendency to organize information spatially, as shown in previous research in cognitive science.

**Author Keywords**

multidevice; dual device; cross-surface; interactive visualization; multisurface environment; mobile interaction

**ACM Classification Keywords**

H.5.m [Information interfaces and presentation (e.g., HCI)]: Miscellaneous

**Introduction**

Nowadays, people are using mobile devices to explore data on the run, both in work and private life [1]. Data sets

---

Paste the appropriate copyright statement here. ACM now supports three different copyright statements:


- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single spaced in a sans-serif 7 point font.

Every submission will be assigned their own unique DOI string to be included here.

are constantly becoming larger, so supporting effective data exploration emerges as a big challenge for Human-Computer Interaction (HCI). Finding the methods to present large amounts of information in the most effective way is required. The technology available in everyday situations should augment human's perception and sensemaking as effectively as possible. While a number of mobile devices in our homes and offices is still increasing, and those devices are getting more and more powerful, users do not benefit to the extent they could from the fact that those devices can be interconnected.

Certain research was done on possible solutions and applications for multidevice systems. MochaTop [7] and Thaddeus [6] focused on creating new methods of navigation through data sets via cross-device interaction. Rädle et al. [5] created a system where images were displayed on multiple, spatially aware displays. In Conductor [3], Hamilton and Wigdor investigated how multiple spatially-aware devices could enhance user experience and performance. Our work is also inspired by the research on collaborative scenarios for tabletops, focusing, for example, on the flow of information between users, or possible applications of tabletops in real world. This paper focuses on leveraging multidevice interaction for collaborative data exploration through visualisation. Thus, it appears to be an interesting approach to make use of space around and in-between devices. We decided to investigate it in the field of collaborative data exploration and understanding. It seems that in several years the technology enabling the device to sense its close surroundings will be embedded into commercially available devices. Past research focused mostly on creating distributed displays, like in Conductor [3] or HuddleLamp [5], or on expanding the model of control and navigation by using the relative position of devices [7].



**Figure 1:** Users exploring data in the preliminary paper-based study. The different pieces of paper contain clues in a crime mystery game


### **Preliminary inquiry**

People in the course of data exploration tend to organize the information spatially, even though the information itself does not necessarily contain any spatial aspects [4]. They find relations (using temporal, person-wise or other abstract criteria) and them to a plane or space. In order to investigate how this approach may be translated into interaction design domain, a study with three participants was conducted. They were given a set of clues and asked to solve a crime mystery, as shown in Figure 1. The entire study was recorded and the video material were analyzed to find how users manipulate pieces of information on the table. This preliminary study showed that the proxemics, i.e. spatial distance, orientation and other parameters between the pieces of information is meaningful in this process. The analysis shows that objectification, i.e. connecting abstract concepts with physical object is important.

## Proposed methodology

We believe that using multiple, spatially aware mobile devices support collaborative sensemaking by offering more effective methods of data visualization. Sensemaking is still performed using sheets of paper, post-it notes or other physical objects, the performance in understanding may be limited by the simplicity of the tools. Translating this process to digital world opens a wide range of possibilities to make it more effective, for example by giving the user possibility to create multiple arrangements of data simultaneously. Furthermore, managing user attention by highlighting a certain relation between pieces of information in spatial conditions can benefit sensemaking. Although we consider a set of problems where human experts are required, e.g. the data given may be partly analyzed automatically, using well-known methods and algorithms.

This scenario, engages the entire space around the user and is not limited to the device displays. The space between devices becomes part of the interactive space as the spatial relations between devices become parts of the user interface. By that we can go further and examine the spatial organization of pieces of data as the relations between the information. As the process of understanding consists of creating an associative network, which constitutes the multidimensional, fuzzy relations between pieces of information, it would seem that organizing the information in space and the process of understanding are closely connected. We are planning a study, in which we will observe users during the process of processing a given data set, e.g. creating a complex associative network of mutual relations between pieces of information they explore. Then, by analyzing the obtained study data, we will try to build a model of how users manage the information in space and time. Based on that we will create a system, which will be able to predict the possible relations between pieces of in-



**Figure 2:** Illustration of a possible application of a relation function. If two devices are close, the value of relation increases. When the distance between device increases, the value of the relation slightly decreases, but the relation is still stored in the system and visualised on the screens.

formation based on observation of spatiotemporal parameters of data in the interactive interface.

We believe that we can create a fuzzy mathematical model of translating the spatiotemporal information to an associative network of interactions. An example of operation of such model can be a situation when two pieces of information are placed close to each other for certain period of time. By parameterizing the numerical values of distance and time, we can create a relation of a strength between those two pieces of information. Based on the actual relations between information and data from the study, a fuzzy inference model can be applied to transfer the spatial relations to relations between pieces of information. An important feature of the aforementioned mathematical model is considering the history of motion of a piece of information in the process of inference. This means that the strength of relation on the output does not only depend on the current position and time spent in this position, but also on the previous movements of the piece of information. An effect of operation of this system can be, for example, displaying that two objects are related if the value of relation exceeds specific value, as shown in Figure 2. Creating such an in-

telligent system could lead us to creating context aware interactive systems, which could manage the attention basing on the aforementioned predictions. Such systems could also lower the mental demand of communicating insights between users, as they could be shared implicitly, similarly to scenario showed in [2].

The overwhelming advantage of implementing such solutions on mobile devices is that tablets and smartphones are physical, tangible objects. Tangibility offers additional advantages to interaction e.g. the socioconstructivist flavor of tangible tabletops. Also, the system gives us the opportunity to track the proxemics not only on a plane, but in three (or "two and a half") dimensions. Overlapping may be meaningful in this context. We believe that such enhanced systems would find applications in many fields, such as thematic or visual analysis, decision making and other areas, where human experts and their performance is crucial.

### Conclusions and further work

This paper proposes a new way in designing interactive systems for mobile devices, leveraging upcoming technology. We indicated possible features and areas of application. We suggest incorporating proxemics in context-aware adaptive interactive systems for multiple mobile devices, which can contribute to more effective access to infovis, better collaboration and easier sensemaking. With this position paper we aim to inspire further work in this area. We recommend further efforts for creating specific design methodologies and methods for examining and creating user behaviour models that incorporate device proxemics in the process of sensemaking.

### REFERENCES

1. 2014. U.S. Smartphone Use in 2015 | Pew Research Center. (2014). <http://www.pewinternet.org/2015/04/01/us-smartphone-use-in-2015/> Accessed: 2015-08-30.
2. Nitesh Goyal, Gilly Leshed, Dan Cosley, and Susan R. Fussell. 2014. Effects of implicit sharing in collaborative analysis. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems - CHI '14*. ACM Press, New York, 129–138.
3. Peter Hamilton and Daniel J. Wigdor. 2014. Conductor: enabling and understanding cross-device interaction. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems - CHI '14*. ACM Press, New York, New York, USA, 2773–2782. DOI: <http://dx.doi.org/10.1145/2556288.2557170>
4. Thomas W. Malone. 1983. How do people organize their desks?: Implications for the design of office information systems. *ACM Transactions on Information Systems* 1, 1 (Jan. 1983), 99–112.
5. Roman Rädle, Hans-Christian Jetter, Nicolai Marquardt, Harald Reiterer, and Yvonne Rogers. 2014. HuddleLamp: Spatially-Aware Mobile Displays for Ad-hoc Around-the-Table Collaboration. In *Proc. ITS '14*. ACM Press, New York, New York, USA, 45–54.
6. Paweł Woźniak, Lars Lischke, Benjamin Schmidt, Shengdong Zhao, and Morten Fjeld. 2014a. Thaddeus. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction Fun, Fast, Foundational - NordiCHI '14*. ACM Press, New York, 41–50.
7. Paweł W. Woźniak, Benjamin Schmidt, Lars Lischke, Zlatko Franjic, Asim Evren Yantaç, and Morten Fjeld. 2014b. MochaTop. In *CHI EA '14*. ACM Press, New York, 2329–2334.